


## 58. Lapland Longspur T

TRAITS: Small-sized bird: breeding male has black crown, face and breast and chestnut hind neck; female nondescript, like many sparrows.

HABITAT: Alpine and dry lowland tundra: nests on small

clumps of grass or dry knolls.

**FOODS:** Mainly seeds and buds of plants; also insects. **EATEN BY:** Weasels, foxes, jaegers, gulls, short-eared owls. "GEE WHIZ": One of the most common land birds on the tundra in the summer; migrates to warmer, more southern prairies in winter; longspurs spend a lot of time on the ground and usually run or walk rather than hop.



## 59. Small Thrushes

**TRAITS:** Small birds with long tails, short, thin bills, brown

backs, spots on white breast.

**HABITAT:** Gray-cheeked thrushes need tall shrub thickets: hermit thrushes need forest openings and edges: Swainson's thrushes need old conifer or hardwood forests. FOODS: Beetles, ants, wasps, moth and butterfly larvae,

flies, treehoppers, millipedes, snails, and other invertebrates; also berries.

**EATEN BY:** Merlins, sharp-shinned hawks, goshawks.

boreal owls; red squirrels prey on eggs.

"GEE WHIZ": Parasitized by certain invertebrates and microscopic organisms.



## 60. Warblers

**TRAITS:** Small birds with thin bills, most have yellow markings. **HABITAT:** Some species (orange-crowned, yellow, Wilson's, blackpoll) live in tall shrub thickets; yellowrumped warblers live in mixed forest; Townsend's warblers require coniferous forest.

**FOODS:** Insects that live on leaves and twigs of trees and shrubs, including true bugs, leafhoppers, moth and butterfly larvae, aphids, flies, beetles, sawflies, spiders.

**EATEN BY:** Merlins, sharp-shinned hawks, shrikes.